## GENERAL ASSEMBLY OF NORTH CAROLINA SESSION 2009

S SENATE DRS55263-MA-309 (3/12)

Short Title:	Alcohol Screening Device Test Results.	(Public)
Sponsors:	Senator Vaughan.	
Referred to:		

1 A BILL TO BE ENTITLED

AN ACT TO ESTABLISH A THRESHOLD FOR POSITIVE ALCOHOL SCREENING TEST RESULTS.

The General Assembly of North Carolina enacts:

**SECTION 1.** G.S. 20-16.3(d) reads as rewritten:

- "(d) Use of Screening Test Results or Refusal by Officer. The fact that a driver showed a positive or negative result on an alcohol screening test, but not the actual alcohol concentration result, or a driver's refusal to submit may be used by a law-enforcement officer, is admissible in a court, or may also be used by an administrative agency in determining if there are reasonable grounds for believing:
  - (1) That the driver has committed an implied-consent offense under G.S. 20-16.2; and
  - (2) That the driver had consumed alcohol and that the driver had in his or her body previously consumed alcohol, but not to prove a particular alcohol concentration. Negative results on the alcohol screening test may be used in factually appropriate cases by the officer, a court, or an administrative agency in determining whether a person's alleged impairment is caused by an impairing substance other than alcohol.

For the purposes of this section, a positive result is a result that registers .08 or higher on an alcohol screening device. Any result that registers lower than .08 on an alcohol screening device is a negative result."

**SECTION 2.** This act becomes effective December 1, 2009, and applies to alcohol screening tests taken on or after that date.

